

MODERN DESIGN ADVANCED ENGINEERING PROVEN THE WORLD OVER

Ramsey WINCHES

FOR ALL 'JEEP' VEHICLES



a RAMSEY WINCH for your every need

Ramsey Winch Co.

8401 EAST ADMIRAL PLACE - PHONE T6964 3-321
BOX 15829, ADMIRAL STATION - TULSA, OKLAHOMA

CATALOG J-1-59



Page 2

IT Pays TO BUY Ramsey WINCHES



Claude C. Ramsey, founder and president of Ramsey Winch Manufacturing Company, began his career as a machinist. His experience in railroad shop, machine shop, test and die, oil field equipment, geophysical seismograph and instrument shops, and in government inspection and procurement qualify him as a leader in his field.

Mr. Ramsey's first business venture started in 1941, making tools for Douglas Aircraft. In 1942 he realized the need for a hoist and winch for heavy passenger cars and pickups with 2 speed transmissions, and designed a crankshaft operated winch with one speed to pull vehicles out of the mud. This winch was successful, so he designed the Model 280 PFD winch which is so popular today. Plans were made for manufacturing the new winch, so the present building has 40,000 square feet of floor space. Ramsey Winch now employs from 75 to 100 or more people.

THE RAMSEY WINCH MANUFACTURING COMPANY produces a balanced line of winches for every use. Capacities from 1,000 to 100,000 lbs. are available for use on all make trucks and tractors. Worm gear reducers, industrial transmissions, hanger bearings, 2 speed hanger bearings and power take offs. Write for details on our complete line of winches for all vehicles and other industrial equipment that we manufacture.



ENGINEERING DEPARTMENT

WRENCH SHOP



DIELL PRESS DEPARTMENT



"EASY TO MOUNT"

Ramsey FRONT MOUNT WINCHES

COMPLETE KITS FOR 'JEEP' UNIVERSAL MODELS CJ-2A, CJ-3A, CJ-3B, CJ-5, CJ-6

WINCH MODELS FOR 'JEEP' UNIVERSAL CJ-5 AND CJ-6 ARE INTERCHANGEABLE AND WILL FIT EITHER MODEL VEHICLE



**MX-200R
DMX-200R**

MX-200R front mount **RAMSEY WINCH** for 'Jeep' Universal CJ-5 and CJ-6. **COMPLETE KIT**. Kit consists of 2,000 pound capacity front mount, self-controlled winch, a MODEL P11-J POWER TAKE OFF, four way cable guide roller assembly, all attaching parts, brackets, universal joints, drive shaft, shaft support and 100 ft. 5/16" cable with hook.

DMX-200R front mount **RAMSEY WINCH** for 'Jeep' Universal CJ-5 and CJ-6. **COMPLETE KIT**. Kit is same as MX-200R except Power Take Off. DMX-200 R which has DP-1 Dual Power Take Off.

FRONT WINCH MODELS FOR 'JEEP' UNIVERSAL, CJ-2A, CJ-3A, AND CJ-3B ARE INTERCHANGEABLE AND WILL FIT EITHER MODEL



DP-1



**RX-200R
DRX-200R**

RX-200R front mount **RAMSEY WINCH, COMPLETE KIT**. Kit is same as MX-200R except attaching parts and drive. Fits 'Jeep' Universal CJ-2A, CJ-3A, and CJ-3B.

DRX-200R front mount **RAMSEY WINCH, COMPLETE KIT**. Kit is same as MX-200R except attaching parts and drive. Fits 'Jeep' Universal CJ-2A, CJ-3A, and CJ-3B.



P11-J

P11-J POWER TAKE OFF has single shaft (rear) attaches to transfer case; drive through transmission providing three pull in speeds and one reverse. Output shaft to Clutch case extends to front end; rear front output is used for driving winch. Rear output can be used for some special applications. Both front and rear outputs turn when power take off is engaged.

DP-1 DUAL POWER TAKE OFF Provides Power to Front or Rear of Vehicle. Front or Rear Drives Operate Completely Independent of Each Other. Has two shift levers, attaches to transfer case and drives through transmission, providing three pull in speeds and one reverse. One shift lever engages power take off to transmission. The other lever has three positions, center is neutral, when shifted back operates through drive case to drive winch as other equipment on front of vehicle. When shifted forward operates rear output. The rear output of this power take off is to exactly the same position as a regular. When power take off. This allows installation and operation of the standard Willys rear power take off as well as other front or shaft driven equipment, such as fuel and rear mount winches, pumps, compressors, welders, generators, etc.



**P-101R
S-101R**

P-101R CRANKSHAFT DRIVE, SINGLE DIRECTION PULL IN ONLY, COMPLETE RAMSEY WINCH KIT for 'Jeep' Universal CJ-5 and CJ-6. The kit consists of an 8,000 pound capacity, self-controlled winch with positive crankshaft drive shaft, four way cable guide roller assembly, all attaching parts, brackets and 100 feet of 5/16" cable with hook. Special hand wheel furnished to release tension of cable if necessary. Designed especially for pulling the vehicle out of mud holes or over rough terrain. Not to be used for hauling.

S-101R CRANKSHAFT DRIVE FRONT MOUNT RAMSEY WINCH, KIT IS COMPLETE. Kit is the same as P-101R except this model fits 'Jeep' Universal CJ-2A, CJ-3A and CJ-3B and 'Jeep' Dispatch or DJ-3A.

Ramsey

BED MOUNT WINCHES

COMPLETE KITS FOR 'JEEP' UNIVERSAL, MODELS CJ-2A, CJ-3A, CJ-3B, CJ-5, CJ-6

SPECIAL NOTICE

ALL RAMSEY WINCH KITS are available with proper driving parts for installation on vehicles equipped with beared transmissions. When ordering any kit for use with beared transmission, add "13P" to model number.

Z-300L BED MOUNT RAMSEY WINCH, COMPLETE KIT. Fits all 'Jeep' Universal Models. Kit consists of 8,000 pound capacity underbody winch, RAMSEY MODEL PT-2 CENTER POWER TAKE OFF, which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 150 feet of 5/16" cable with hook. Winch mounts to 'Jeep' Universal frame in simple out of back of 'Jeep' Universal allowing lower and more forward installation, leaving greater cargo area.



Z-300L

"EASY TO MOUNT"

Ramsey

REAR MOUNT WINCHES

COMPLETE KITS FOR 'JEEP' UNIVERSAL CJ-2A, CJ-3A, CJ-3B, CJ-5 AND CJ-6

W-300L REAR MOUNT RAMSEY WINCH, COMPLETE KIT. Fits 'Jeep' Universal CJ-2A, CJ-3A, CJ-3B and CJ-5. FOR 'Jeep' Universal CJ-6 order W-300L-6 — Same price as W-300L. Mounts on Jeep rear cross member and drive bar. Driven by Ramsey MODEL PT-2 CENTER POWER TAKE OFF through transmission. Provides three pull in speeds and one reverse. Kit consists of RAMSEY 8,000 pound capacity sub-controlled winch, a MODEL PT-2 POWER TAKE OFF, all attaching parts, brackets, universal joints, drive shaft and 150 feet of 5/16" cable with hook.



W-300L



PT-2

PT-2 RAMSEY CENTER POWER TAKE OFF PROVIDES POWER FOR WINCHES OR OTHER EQUIPMENT MOUNTED IN THE BED OF, OR ON REAR OF VEHICLE.



V-300R

V-300R REAR MOUNT RAMSEY WINCH, KIT COMPLETE. Fits all Model 'Jeep' Universals, mounts on 'Jeep' rear power take off gear box. Power take off not included in kit. Kit consists of RAMSEY 8,000 pound capacity sub-controlled winch, all attaching parts, brackets and chains, and 150 ft. 5/16" cable with hook. Winch is easily removed and replaced, making rear power take off available for other uses.

WIRE RECLAIMER



X-600L
X-600R

X-600L Special utility wire reclaiming winch assembly fits all model 'Jeep' Universals. Mounts on 'Jeep' Universal rear cross member and drive bar. Driven by RAMSEY MODEL PT-2 power take off through rear universal joints and drive shaft. Provides three pull in speeds and one reverse. Kit consists of RAMSEY 12,000 pound capacity sub-controlled winch, a model PT-2 power take off, all attaching and driving parts.

Wire line guides are furnished for floor bumper.

X-600R — Same as X-600L except drive is from sprocket placed on spline shaft of regular W/Jeep rear power take off gear box. Two sprockets and drive shafts included in kit. Power take off not included in kit. Take up reels and cable not included in X-600R or X-600L kits.

ALL RAMSEY BED MOUNT OR REAR MOUNT WINCHES CAN BE DRIVEN BY REAR OUTPUT OF DUAL POWER TAKE OFF WITH FRONT MOUNT OR OTHER EQUIPMENT IS DRIVEN FROM DUAL. PUT SHAFT OF DUAL TAKE OFF.

When Bed Mount or Rear Mount Winches are Ordered for Use on Vehicles Equipped with RAMSEY Front Winch and DP-1 Power Take Off, include the cost of Power Take Off supplied with the Bed Mount or Rear Mount Winch Kit, as drive will be from Rear Output of Dual Power Take Off.

"A" FRAMES FOR RAMSEY
BED MOUNT AND REAR
MOUNT WINCH KITS

MODEL 461-A "A" frame assembly. FITS MODEL W-300L and V-300R REAR MOUNT WINCHES.

MODEL 463-A "A" frame assembly. FITS MODEL Z-300L bed mount winch.

Construction is heavy mild steel tubing, cast steel steel head and shackle, shackle attached approximately eight feet from ground.



461-A
463-A

"EASY TO MOUNT"

Ramsey FRONT MOUNT WINCHES

FRONT WINCH MODELS SHOWN ARE INTERCHANGEABLE AND WILL FIT ALL MODEL 'JEEP' 4-WHEEL DRIVE TRUCKS AND 'JEEP' 4-WHEEL DRIVE UTILITY WAGONS



RX-200R Front mount **RAMSEY WINCH**. THE REGULAR VEHICLE BUMPER IS USED WITH THIS WINCH. BUMPER BOLTS TO FRAME BRACES AND EXTENSION SUPPLIED WITH WINCH KIT. COMPLETE KIT. Kit consists of 5,000 pound capacity front mount cab controlled winch, a MODEL PT-1-T POWER TAKE OFF, four way cable guide roller assembly, all mounting parts, brackets, universal joints, drive shaft, shaft support and 150 ft. 3/16" cable with hook.

DXK-200R Front mount **RAMSEY WINCH**. COMPLETE KIT. KIT IS SAME AS RX-200R EXCEPT POWER TAKE OFF.

DXK-200R WINCH KIT HAS DP-2 DUAL POWER TAKE OFF

KX-200R DKX-200R

200R-60 Front mount **RAMSEY WINCH**. Special heavy duty channel bumper with protective splash shields supplied with this winch.

COMPLETE KIT. Kit consists of 5,000 pound capacity front mount cab controlled winch, mounted on special bumper with splash shields, a MODEL PT-1-T POWER TAKE OFF, four way cable guide roller assembly, all mounting parts, brackets, universal joints, drive shaft, shaft support and 150 ft. 3/16" cable with hook.

200R-60 200R D-60



200R-60 Front mount **RAMSEY WINCH**. COMPLETE KIT. KIT IS SAME AS 200R-60 EXCEPT POWER TAKE OFF. 200R-D-60 WINCH KIT HAS DP-2 DUAL POWER TAKE OFF.



246L-4WD Front mount **RAMSEY WINCH**. THE 4-WAY CABLE GUIDE ROLLERS ARE BUILT INTO THE HEAVY DUTY CHANNEL BUMPER WITH PROTECTIVE SPLASH SHIELDS. CABLE UNDER WINCH ON DRUM.

COMPLETE KIT. Kit consists of 5,000 pound capacity front mount cab controlled winch, mounted in special bumper with built in 4-way cable guide rollers and splash shields, a PT-1-T POWER TAKE OFF, all mounting parts, brackets, universal joints, drive shaft, shaft support and 150 ft. 3/16" cable with hook.

246L-4WD Front mount **RAMSEY WINCH**. COMPLETE KIT. KIT IS THE SAME AS 246L-4WD EXCEPT POWER TAKE OFF. 246L-D-4WD WINCH KIT HAS DP-2 DUAL POWER TAKE OFF.

246L-4WD 246L-D-4WD

DP-2 DUAL POWER TAKE OFF PROVIDES POWER TO FRONT OR REAR OF VEHICLE. FRONT OR REAR DRIVES OPERATE COMPLETELY INDEPENDENT OF EACH OTHER. The two shift levers, attach to transfer case and drive through transmission, providing three pull in speeds and one reverse. One shift lever engages power flow off to transmission. The other lever has three positions, power is neutral, when shifted back operates through chain case to drive winch or other equipment on rear of vehicle. When shifted forward operates rear output. The rear output of the power take off is in exactly the same position as a regular Willys rear power take off. This allows installation and operation of the standard Willys rear power take off as well as other ball or shaft drive equipment, such as fuel and rear mount winches, pumps, law mowers, welders, generators, etc.



DP-2

PT-1-T POWER TAKE OFF has single shift lever attached to transfer case, drives through transmission, providing three pull in speeds and one reverse. Output shaft in chain case extends to front and rear. Front output is used for driving winch. Rear output can be used for some special applications. Both front and rear outputs turn when power take off is engaged.



PT-1-T

"EASY TO MOUNT"

Ramsey

BED MOUNT WINCHES

FOR 'JEEP' 4-WHEEL DRIVE TRUCKS


AA-200L Bed Mount RAMSEY WINCH. Fits all Model 'Jeep' 4 Wheel Drive trucks. **UNDERSEAT WINCH** mounts on truck frame in simple cut-out of grab up box, allowing floor and more forward installation, leaving greater cargo area.

COMPLETE KIT. Kit consists of 3,000 pound capacity underbody winch, RAMSEY PT-2 CENTER POWER TAKE OFF which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 1/2" x 3/16" rods with lock.

AA-200L



JBL-72



JBL-72 Bed Mount RAMSEY WINCH UPRIGHT WINCH. Fits on floor of 240 cu. inch. utility or glider-type body. Winch bolts to angle cross members attached normally to vehicle frame underneath floor of body. No body to cut-out except as required for drain.

COMPLETE KIT. Kit is same as AA-200L except winch is upright rather than underbody.

"EASY TO MOUNT"

Ramsey

REAR MOUNT WINCHES

FOR 'JEEP' 4-WHEEL DRIVE TRUCKS AND 'JEEP' 4-WHEEL DRIVE UTILITY WAGONS



X-200L-10S

200L-10S Rear Mount RAMSEY WINCH. Fits 'Jeep' 4 Wheel Drive Utility Wagon. Special heavy duty internal bumper with protective rubber inserts supplied with this winch. In addition, allows rear lower fill gate to be fully opened. **COMPLETE KIT.** Kit consists of 3,000 pound capacity rear mount winch complete winch mounted on special bumper with splash shields, a MOBEY PT-2 POWER TAKE OFF, four way crank, guide roller assembly, all attaching brackets, universal joints, drive shaft and 1/2" H. 3/16" rods with lock.



RAA-200L

ALL RAMSEY BED MOUNT OR REAR MOUNT WINCHES CAN BE DRIVEN BY REAR OUTPUT OF DUAL POWER TAKE OFF WHEN FRONT MOUNT WINCH OR OTHER EQUIPMENT IS DRIVEN FROM FRONT OUTPUT SHUNT OF DUAL TAKE OFF.

When Bed Mount or Rear Mount Winches are ordered for use on vehicles equipped with RAMSEY Front Winch and Dual Power Take Off, shunt the end of power take off supplied with the Bed Mount or Rear Mount Winch Kit, so drive will be from rear output of Dual Power Take Off.



PT-2

PT-2 CENTER POWER TAKE OFF PROVIDES POWER FOR WINCHES OR OTHER EQUIPMENT MOUNTED IN REAR OF, OR ON REAR OF VEHICLE.

RAA-200L Rear Mount RAMSEY WINCH. Fits all 'Jeep' 4 Wheel drive trucks. Mounts on special frame attached to truck rear cross member.

COMPLETE KIT. Kit consists of 3,000 pound capacity rear mounted winch in MOBEY PT-2 CENTER POWER TAKE OFF which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 1/2" H. 3/16" rods with lock.


484-B "B" frame assembly. For RAA-200L rear mount winch. Constructed of heavy wall steel tubing, and steel rear beam and shaper. Shaper provides additional strength of frame ground. Capacity 2000 pounds.



"EASY TO MOUNT"

Ramsey FRONT MOUNT WINCHES

FOR FORWARD CONTROL 'JEEP' FC-150 TRUCK



X-200R-76WWT
X-200R-D-76WWT

X-200R-76WWT Front Mount RAMSEY WINCH. Fits Forward Control 'Jeep' FC-150 Truck with wide tread and front air duct.

THE REGULAR VEHICLE BUMPER IS USED WITH THIS WINCH. BUMPER BOLTS TO FRAME BRACERS AND EXTENSIBLES SUPPLIED WITH KIT.

COMPLETE KIT. Kit consists of 3,000 pound capacity front mount cab controlled winch. A Model FT-150 power take off, four way cable guide roller assembly, all attaching parts, driving parts and 150 feet of 5/16" cable and hook.

X-200R-D-76WWT Front Mount RAMSEY WINCH. COMPLETE KIT. KIT IS SAME AS X-200R-76WWT EXCEPT POWER TAKE OFF.

X-200R-D-76WWT WINCH KIT HAS DP1-150 DUAL POWER TAKE OFF.

X-200R-76WWT Front Mount RAMSEY WINCH Fits Forward Control 'Jeep' FC-150 Truck with wide tread and front air duct. Special heavy duty channel bumper with protective splash shields applied with this winch.

COMPLETE KIT. Kit consists of 3,000 pound capacity front mount cab controlled winch. Driven by Model FT-150 POWER TAKE OFF through transmission. Provides three pull in and one reverse speed, four way cable guide roller assembly, all attaching and driving parts, 150 feet 5/16" cable and hook.

X-200R-D-76WWT Front Mount RAMSEY WINCH. COMPLETE KIT. Kit is same as X-200R-76WWT EXCEPT POWER TAKE OFF.

X-200R-D-76WWT WINCH KIT HAS DP1-150 DUAL POWER TAKE OFF.



X-200R-FJ5WWT
X-200R-D-FJ5WWT

"EASY TO MOUNT"

Ramsey FRONT MOUNT WINCHES

FOR FORWARD CONTROL 'JEEP' FC-170 TRUCKS

X-200R-170WT Front Mount RAMSEY WINCH KIT Fits Forward Control 'Jeep' FC-170 Truck, with Front Air Duct. Special heavy duty channel bumper with protective splash shields, supplied with this winch.

COMPLETE KIT. Kit consists of 3,000 pound capacity front mount cab controlled winch mounted in special bumper with splash shields, a MODEL FT-170 POWER TAKE OFF, four way cable guide roller assembly, all attaching parts, driving parts and 150 feet of 5/16" cable with hook.

X-200R-D-170WT Front Mount RAMSEY WINCH. COMPLETE KIT. Kit is same as X-200R-170WT except power take off.

X-200R-D-170WT winch kit has DP2-FY Dual Power Take Off.



X-200R-170WT
X-200R-D-170WT



FT1-F
PT1-150

FT1-F POWER TAKE OFF fits forward control 'Jeep' FC-170 Truck and FT1-150 Power Take Off fits forward control 'Jeep' FC-150 Truck. Has single shift lever, cab controlled. Attaches to transfer case, driven through transmission, providing three pull in speeds and one reverse. Front output is used for driving winch. Rear output can be used for various special applications. Back front and rear outputs turn when power take off is engaged.



DP1-150

Never has there been a problem, unless it occurred, when shifted knob operates through shafts used to drive winch or other equipment on front or side. When shifted forward operates rear output. The rear output of this power take off is in exactly the same position as a regular Willys center gear take off. This allows installation and operation of the standard Willys rear power take off as well as other left or right drive equipment, such as fuel and rear wiper motors, pumps, compressors, welders, generators, etc.

DP1-150 DUAL POWER TAKE OFF fits forward control 'Jeep' FC-150 Truck. DP1-150 DUAL POWER TAKE OFF PROVIDES POWER TO FRONT OR REAR OF VEHICLE. FRONT OR REAR DRIVES OPERATE COMPLETELY IF INDEPENDENT OF EACH OTHER.

Has two shift levers, attached to transfer case and driven through transmission providing three pull in speeds and one reverse. One shift lever engages power take off to transmission. The other



DP2-FY

DP2-FY FITS FORWARD CONTROL 'JEEP' FC-170 TRUCK. SIMILAR TO DP1-150 EXCEPT REAR OUTPUT SHAFT IS FURNISHED WITH UNIVERSAL JOINT HOUSING INSTEAD OF COMPANION FLANGE.

Ramsey

BED MOUNT WINCHES**FOR FORWARD CONTROL 'JEEP' FC-150 AND 'JEEP' FC-170 TRUCKS****JBL-96**

JBL-96 Bed Mount RAMSEY WINCH fits Forward Control 'Jeep' FC-150 Truck. UPRIGHT WINCH. Sits on floor of pickup truck, utility, or platform body. Winch sits in single cross member attached directly to vehicle frame underneath floor of truck. No body cut-out except as required for frame then.

COMPLETE KIT. Kit consists of 12,000 pound capacity UPRIGHT WINCH equipped with automatic safety brake in RAMSEY PT-4 CENTER POWER TAKE OFF which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 150 feet of 5/16" cable with hook.

JBL-83**J10L-170**

J10L-170 Bed Mount RAMSEY WINCH fits Forward Control 'Jeep' FC-170 Truck. COMPLETE KIT. Same as JBL-96 except winch is J-10 12,000 pound capacity, and 150 ft. 7/16" cable and hook is furnished with model J10L-170.

JBL-83 Bed Mount RAMSEY WINCH fits Forward Control 'Jeep' FC-150 Truck. COMPLETE KIT SAME AS MODEL JBL-96 EXCEPT ATTACHING AND DRIVING PARTS ARE FOR FORWARD CONTROL 'JEEP' FC-170 TRUCK.

200L-85 Bed Mount RAMSEY WINCH fits Forward Control 'Jeep' FC-150 Truck. UNDERDRUM WINCH mounts on truck frame in single cut out of pick up box, allowing lower and more forward installation, leaving greater cargo area.

COMPLETE KIT. Kit consists of 8,000 pound capacity underdrum winch, RAMSEY PT-2 CENTER POWER TAKE OFF which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 150 ft. 5/16" cable with hook.

200L-85

"EASY TO MOUNT"

Ramsey

REAR MOUNT WINCHES**FOR FORWARD CONTROL 'JEEP' FC-150 TRUCK****200L-81**

200L-81 Rear Mount RAMSEY WINCH. Mounts on special frame attached to rear of cargo number.

COMPLETE KIT. Kit consists of 8,000 pound capacity cab controlled winch, a MODEL PT-2 150 CENTER POWER TAKE OFF which provides three pull in and one reverse speed through transmission, all driving parts, attaching brackets and 150 ft. 5/16" cable with hook.

ALL RAMSEY REAR MOUNT OR BEAR MOUNT WINCHES CAN BE DRIVEN BY REAR OUTPUT OF DUAL POWER TAKE OFF W/SHIN FRONT MOUNT WINCH OR OTHER EQUIPMENT IS CIVILIAN TYPE FRONT OUTPUT 544PT OF DUAL TAKE OFF. When Bed Mount or Rear Mount Winches are ordered for use on vehicles equipped with RAMSEY Front Winch and Dual Power Take Off, detail the cost of power take off required with the Bed Mount or Rear Mount Winch kit, as drive will be from rear output of Dual Power Take Off.

PT2-150

PT2-150 CENTER POWER TAKE OFF fits Forward Control 'Jeep' FC-150 Truck. Provides power for winches or other equipment mounted in bed of or on rear of vehicle.

PT2-170 CENTER POWER TAKE OFF fits Forward Control 'Jeep' FC-170 Truck. Same as PT2-150 except for short lever, and output shaft has universal joint yoke instead of companion flange.

200L-84

200L-84 Rear Mount RAMSEY WINCH. Special heavy duty (Special Number) with propeller shafts should be used with this winch. **COMPLETE KIT**. Kit consists of 8,000 pound capacity rear mount cab controlled winch mounted in special bumper with splash shields, a MODEL PT-2 150 POWER TAKE OFF, four eye cable guide roller assembly, all attaching brackets, universal joints, drive shaft and 150 ft. 5/16" cable and hook. X-288L-120 for Forward Control 'Jeep' FC-170 is similar.

Special Motor. All Ramsey winch kits are available with proper driving parts for installation on vehicles equipped with four speed transmissions. When ordering specify kit for use with four speed transmissions, and "4SP" to Model number.

PT2-170**470-A**
475-A

470-A "A" FRAME ASSEMBLY for 200L-81 and 200L-84 Rear Mount Winches.

475-A "B" FRAME ASSEMBLY for 200L-81 and J10L-170 Bed Mount Winches.

Construction is heavy wall steel tubing, one steel cast head and frame. Sheave diameter approximately 8" from ground. Capacity 2,000 pounds.



The Ramsey C7R Capstan

For CJ-5, CJ-6, CJ-3B, CJ-3A, CJ-2A 'Jeep' Universals and DJ-3A 'Jeep' Dispatcher

LOW COST -- BIG PERFORMANCE!

ANOTHER FIRST FOR RAMSEY WINCH! Your repeated inquiries about a low-cost pulling unit have prompted us to introduce the Ramsey Model C7R Capstan for front mounting on 'Jeep' vehicles. Driven from the front of the

crankshaft, it presents the simplest and quickest installation in the field today! Shift one lever and you have a live capstan that can be used with manila or wire rope. Ideal for sportsmen, ranchers, farmers, boat docks, etc.

'JEEP' IS THE REGISTERED TRADEMARK OF WILLYS MOTORS, INC., TOLEDO, OHIO

Ramsey Winch Co.

353 EAST ADMIRAL PLACE • PHONE TERRY 5-1521
BOX 13829, ADMIRAL STATION • TULSA, OKLAHOMA



THERE IS A

Ramsey

WINCH FOR EVERY USE

**LOADING**

Handles every loading job on trucks or trailers, rail-road cars, load logs, pipe and machinery.

**PULLING**

RAMSEY WINCHES make every job that can be done with a pull on a cable quicker, safer and easier. Move vehicles where it would be impossible to go without a winch. Move any heavy object, clear land, stretch fence, place heavy machinery, move boats and skid logs.

HOISTING

Operate industrial elevators, set steel girders and trusses in building construction, raise and lower motors and machinery in industrial plants and mines, raise and transport vehicles with wrecker frames, lift and move materials around storage yards and industrial plants, set utility poles and place transformers.

USERS

Every owner of a commercial or passenger vehicle can use a winch to advantage: utility companies, contractors, industrial plants, hunters and fishermen, farmers and ranchers, surveyors, exploration companies, oil and water well drillers, pipeline companies, miners, state forestry and conservation departments, highway departments, law enforcement agencies, logging and lumber companies, boat docks, marine bases, city street, light, water, park departments.

SPECIFICATIONS FOR RAMSEY WINCHES FOR WILLYS VEHICLES

Models	Line Pull	Hoisting Capacity for Hoisting	Installed Weight Less P.T.O. & Drive with Cable	Std. & Rear Mount Winch P.T.O. Drive and Cable	Hoisting Weight	Cable Break Capacity	Line Ratio
Model 101	5,000	Not Recommended	137	137	166	140'-3/16"	40 to 1
Model 106	5,000	5,000	137	137	231	250'-3/16"	40 to 1
Model 108	5,000	5,000	137	137	311	315'-1/16"	40 to 1
Model 150	8,000	5,000	122	122	345	375'-5/16"	40 to 1
Model 155	8,000	5,000	167	167	390	420'-3/8"	40 to 1
Model 156	8,000	5,000	194	194	410	435'-1/16"	40 to 1
Model 157	10,000	10,000	200	200	412	435'-1/16"	28 to 1
Model 158	12,000	11,000	480	480	412	435'-1/16"	48 to 1
Model 159	17,000	7,000	280	280	412	435'-1/16"	48 to 1

RAMSEY WINCHES FOR WILLYS VEHICLES

WILLYS	P.T.O. Disposition	C 4 S	C 4 J	4 x 4 75 Front	4 x 4 75 4500 lbs. Wdg.	FC 150	FC 175
132208 243208 31018	5/8" B	42208 (M) 3108 31018	421788 (M) 3108 31018	417806 441208 208480 208480 2401480 2401480	412806 441208 208480 208480 2401480 2401480	3,200(1) 1/4" x 1/4" 3,200(1) 1/4" x 1/4" 3,200(1) 1/4" x 1/4"	3,200(1) 1/4" x 1/4" 3,200(1) 1/4" x 1/4"
FRONT MOUNT							
REAR MOUNT							
21901		22001	22001	412901 38172	412901 38172	300140 38172	38172 38172
21901 W001		W001 W001	W2001 W2001-S	414201 38172	38172 38172	300140 38172	38172 38172
REAR MOUNT							